# **ENVIRONMENTAL PROJECT REPORT**



407 TRANSITWAY - KENNEDY ROAD TO BROCK ROAD

**MINISTRY OF TRANSPORTATION - CENTRAL REGION** 

**ASSIGNMENT # 2013-E-0027** 

G.W.P. 13-20003

**DECEMBER 2016** 



Table of Contents	
E. EXECUTIVE SUMMARY	1
E.1. Background	1
E.1.1. 407 Transitway Background and Status	1
E.1.2. Study Objectives	2
E.1.3. Study Area	2
E.1.4. Study Process	3
E.1.5. Statutory Requirements	3
E.2. Transportation Needs Assessment	3
E.2.1. 407 Transitway Role in the Greater Toronto and Hamilton Area	3
E.2.2. Route Structure and Operating Characteristics	4
E.2.3. 407 Transitway Ridership Forecasts	4
E.2.4. Future Travel Demand 2031 to 2051	4
E.3. Existing And Future Conditions	5
E.4. Identification Of Alternatives And Evaluation Process	5
E.5. Final Project Description	6
E.6. Impact Assessment, Mitigation And Monitoring	8
E.7. Implementation Strategy	8
E.8. Consultation Process	9
E.9. Commitments To Future Action	9
1. INTRODUCTION	1-1
1.1. 407 Transitway Background and Status	1-1
1.2. Study Purpose & Objectives	1-2
1.3. Study Area	1-2
1.4. Study Process	1-3
1.5. Study Background	1-4
1.5.1. Statutory Requirements	1-4
1.5.2. Policy Context	1-4
1.5.3. Past Studies along the Highway 407 Corridor	1-7
1.5.4. Related Provincial and Regional Transportation Studies/Project/Topics	1-10

2.	TRANSPOR	RTATION NEED AND TRAVEL DEMAND	2-1
	2.1. 407 T	ransitway Role in the Greater Toronto Area (GTA)	2-1
	2.2. Land	Use, Population & Employment	2-1
	2.2.1.	Population and Employment Growth	2-1
	2.2.2.	Developments Affecting Corridor Travel Demand	2-4
	2.2.3.	Forecasting Approach & Assumptions	2-4
	2.2.4.	Model Background	2-4
	2.2.5.	Model Sensitivity	2-4
	2.2.6.	Transportation Network Assumptions	2-5
	2.2.7.	Transitway Station Locations and Parallel Transit Services	2-5
	2.2.8.	Route Structure and Operating Characteristics	2-6
	2.2.9.	Station Selection Criteria and Results from the Transportation Perspective	2-7
	2.3. Futur	e Travel Demand	2-8
	2.3.1.	Total Trips	2-8
	2.3.2.	407 Transitway Ridership Forecasts	2-9
	2.4. Futur	e Transportation System Needs and Opportunities	2-10
	2.5. Futur	e Travel Demand 2031 to 2051	2-12
3.	EXISTING A	AND FUTURE CONDITIONS	3-1
	3.1. Natu	ral Environment	3-1
	3.1.1.	Physiography and Soils	3-1
	3.1.2.	Contaminated Properties and Waste	3-1
	3.1.3.	Drainage	3-1
	3.1.4.	Groundwater	3-1
	3.1.5.	Fish and Aquatic Habitat	3-2
	3.1.6.	Vegetation and Vegetation Communities	3-9
	3.1.7.	Wildlife and Wildlife Habitat	3-16
	3.1.8.	Designated Natural Areas	3-20
	3.1.9.	Air Quality	3-21
	3.2. Socio	-Economic and Cultural Environment	3-23
	3.2.1.	Land Use Planning Policies	3-23
	3.2.2.	Existing Land Uses	3-26
	3.2.3.	Future Land Uses	3-27
	3.2.4.	Built Heritage and Cultural Heritage Landscapes	3-30





3.2.5. Archeological Features	3-31	5.7. Illumination	5-21
3.3. Transportation	3-33	5.8. Intelligent Transportation Systems	5-21
3.3.1. Existing Road Network	3-33	5.9. Landscaping	5-22
3.3.2. Transit Services within the Study Area	3-33	5.10. Maintenance and Storage Facility	5-22
3.3.3. GO Transit	3-35	5.11. Flexibility in the Design of the Proposed Footprint	5-22
3.3.4. York Region Transit	3-35		
3.3.5. Durham Regional Transit	3-35	6. IMPACT ASSESSMENT, MITIGATION AND MONITORING	6-1
3.3.6. Toronto Transit Commission	3-35	6.1. Introduction	6-1
3.4. Municipal Services and Utilities	3-36	6.1.1. Studies Prepared in Support of the 407 Transitway	6-4
4. IDENTIFICATION OF ALTERNATIVES AND EVALUATION PROCESS	4-1	6.2. Footprint Impacts	6-5
4.1. Rapid Transit Technology	4-1	6.2.1. Natural Environment	6-6
4.2. Corridor Assessment	4-1	6.2.2. Socio-Economic and Cultural Environment	6-19
		6.2.3. Transportation	6-31
4.3. Identification and Evaluation of Station Alternatives	4-1	6.2.4. Utilities	6-32
4.3.1. Assessment and Screening of Station Nodes	4-1	6.3. Construction Impacts	6-32
4.3.2. Evaluation of Station Sites	4-2	6.3.1. Natural Environment	6-33
4.3.3. Conclusions and Recommendations of Station Sites Evaluation	4-19	6.3.2. Socio-Economic and Cultural Environment	6-43
4.4. Alignment Alternatives	4-19	6.3.3. Transportation	6-47
5. FINAL PROJECT DESCRIPTION	5-1	6.4. Operations and Maintenance Impacts	6-48
5.1. Description of the Runningway Alignment and Cross-Section	5-1	6.4.1. Natural Environment	6-48
5.2. Stations	5-5	6.4.2. Socio-Economic and Cultural Environment	6-52
5.2.1. Conclusions and Recommendations of Station Sites Evaluation	5-5	6.4.3. Transportation	6-53
5.2.2. Stations Design Principles	5-5	6.5. MTO Protected Sites	6-57
5.2.3. Station Layouts	5-6	6.5.1. McCowan Road Site	6-57
5.3. Structures	5-10	6.5.2. York Durham Line Site	6-57
5.3.1. Overpasses and Underpasses	5-10	6.5.3. Rossland Road Site	6-57
5.3.2. Culverts	5-11	6.6. Conversion/Decommissioning	6-57
5.4. Stormwater Management and Drainage	5-12	6.7. Summary	6-57
5.4.1. Hydrologic Analysis and Stormwater Management Strategy	5-12	7. IMPLEMENTATION	7-1
5.4.2. Hydraulic Analysis	5-18	7.1. Project Activities	7-1
5.5. Utility Relocation	5-21		
5.6. Emergency Response Services (ERS) Considerations	5-21	7.1.1. Pre-Construction	7-1
5.0. Efficigency hesponse services (Elis) considerations	J Z1	7.1.2. Construction	7-1





	7.1.3. Operations and Maintenance	7-3	LIST OF APPENDICES
	7.2. Project Implementation Strategy	7-3	Appendix A: Consultation Record
	7.2.1. Potential Staged Implementation	7-3	
	7.2.2. Cost Estimate	7-4	Appendix B: Traffic Reports
3.	CONSULTATION PROCESS	8-1	Appendix C: Drainage Report
	8.1. Overview	8-1	Appendix D: Fish and Fish Habitat Report
	8.2. Consultation with Agencies	8-1	Appendix E: Terrestrial Report
	8.2.1. Summary of Agency Consultation Activities	8-1	
	8.2.2. Technical Resource Group (TRG)	8-17	Appendix F: Heritage Impact Assessment Report
	8.3. Consultation with Aboriginal Communities	8-148	Appendix G: Cultural Heritage Assessment Report
	8.4. Consultation with the Public	8-150	Appendix H: Cultural Heritage Evaluation Reports
	8.4.1. Public Notification	8-150	
	8.4.2. Notification to Landowners in Close Vicinity of the Transitway	8-151	Appendix I: Land Use Report
	8.4.3. Public Information Centres (PIC)	8-151	Appendix J: Air Quality Report
Э.	COMMITMENTS TO FUTURE ACTION	9-1	Appendix K: Noise Report
	9.1. Permits and Approvals	9-1	Appendix L: Landscape Design Report
	9.2. Consultation	9-1	Appendix L. Landscape Design Neport
	9.3. Detail Design, Construction and Operations Commitments	9-1	Appendix M: Groundwater Report
	9.4. Canadian Environmental Assessment Act	9-9	Appendix N: Contamination Report
	9.5. Addendum Process	9-9	Appendix O: Property Plates
			Appelluix O. I Topelly Liales





### LIST OF FIGURES

Figure E.1: Full 407 Transitway Study Limits	
Figure E.2: Study Area	E-2
Figure E.3: Study Process	E-3
Figure E.4: Conceptual 407 Transitway Route Structure	
Figure E.5: 2031 Projected AM Peak Period 407 East Transitway Volumes	E-4
Figure E.6: Station Sites Evaluation Criteria	E-6
Figure E.7: Preferred Alternative from East of Kennedy Road to East of Brock Road	E-7
Figure 1.1: Full 407 Transitway Study Limits	
Figure 1.2: Study Area	1-2
Figure 1.3: Study Process	
Figure 1.4: TPAP Process	
Figure 2.1: 407 Transitway East Study Area	
Figure 2.2: 2011 and 2031 Population and Employment in 407 East Corridor and Surrounding	
Areas	. 2-3
Figure 2.3: 2011 and 2031 Urban Density in the 407 East Corridor and Surrounding Areas	
Figure 2.4: Conceptual 407 Transitway East Route Structure	
Figure 2.5: 2011 to 2031 AM Peak Period Motorized Travel Growth	
Figure 2.6: 2031 Projected AM Peak Period 407 East Transitway Volumes	
Figure 3.1: Fish and Fish Habitat Within the Study Area	
Figure 3.2: Fish and Fish Habitat Within the Study Area	
Figure 3.3: Fish and Fish Habitat Within the Study Area	
Figure 3.4: Natural Heritage - Existing Conditions	
Figure 3.5: Natural Heritage - Existing Conditions	
Figure 3.6: Natural Heritage - Existing Conditions	
Figure 3.7: Land Use	
Figure 3.8: Land Use	
Figure 3.9: Archaeological Potential Areas	
Figure 3.10: Existing YRT & TTC Services in 407 Transitway East Section Area - Markham	
Figure 3.11: Existing GO Transit Bus Services for Highway 407 ETR East in the Town of	J-J4
Markham	3-34
Figure 3.12: Existing Durham Region Transit Service for Brock Road Area	
Figure 4.1: Station Sites Evaluation Criteria	
Figure 4.2: McCowan Station Evaluation	4-5
Figure 4.3: Markham Station	
Figure 4.4: Ninth Line Station	
Figure 4.5: Donald Cousens Station	. <del>-</del> 3 ⊿ <b>-</b> 11
Figure 4.6: Whites Road Station	
Figure 4.7: Rossland Road Station	
Figure 4.8: Brock Road Station	
Figure 5.1: Fill Section Between Stations	
Figure 5.2: Cut Section Between Stations	
Figure 5.3: Cross-section Through Station Platforms	
Figure 5.4: Cross-section at Station Approach	
Figure 5.5: Cross-section On Overpass	
Figure 5.6: Cross-section Through Underpass	
Figure 5.7: Study Area Map (1 Of 4) – Drainage Component	
Figure 5.8: Study Area Map (1 Of 4) – Drainage Component	
Figure 5.9: Study Area Map (3 Of 4) – Drainage Component	
Figure 5.10: Study Area Map (4 Of 4) – Drainage Component	J-10
Heritage Act and Listed by the City of Markham	6-22
Heritage Act and Listed by the City of Markhall	0-23





### LIST OF TABLES

Table 2.1: 2011 and 2031 Population and Employment, Study Area and GGH	2-2
Table 2.2: Highway Expansions Included in 2031 Network	2-5
Table 2.3: 407 Transitway East Station Evaluation and Screening Process Results	2-7
Table 2.4: A.M. Peak Period Motorized Travel in the 407 East Corridor, 2011-2031	2-8
Table 2.5: 2031 Projected A.M. Peak Period Boardings and Alightings at 407 East Transitway	
Stations	
Table 2.6: Access Modes for 2031 Westbound A.M. Peak Period Trips on 407 East Transitway	
Table 2.7: Westbound A.M. Peak Period Trips Using the 407 Transitway East	
Table 2.8: 2031 A.M. Peak Period Travel Demand Changes due to 407 Transitway	
Table 3.1: Existing Fish and Fish Habitat Conditions Summary Table	
Table 3.2: Summary of Ecological Land Classification Communities	
Table 3.3: Wildlife Species Documented within the Study Area	
Table 3.4: Historical NOx Ambient Air Quality Data	
Table 3.5: Historical PM2.5 Ambient Air Quality Data	
Table 3.6: Historical Ozone Ambient Air Quality Data	. 3-22
Table 3.7: Summary of Built Heritge resources (BHR) and cultural heritage lanDscapes (chl)	
identified	
Table 3.8: Previously registered archaeological sites within 50 metres of the study area	
Table 4.1: Assessment of Station Nodes	
Table 5.1: Station Consideration Factors and Design Principles	
Table 5.2: Design Elements at Markham Road Station	
Table 5.3: Design Elements at Ninth Line Station	
Table 5.4: Design Elements at Donald Cousens Station	
Table 5.5: Design Elements at Whites Road Station	
Table 5.6: Design Elements at Brock Road Station	
Table 5.7: Proposed Structures	
Table 5.8: Proposed Structural Culverts	
Table 5.9: Stormwater Management Criteria	
Table 5.10: Summary of Stormwater Management Ponds within the Study Limits	. 5-18
Table 5.11: 407 Transitway - Watercourse Crossings (Culverts/Bridges) Rouge River And	
Petticoat Creek Watershed - Design Parameters And Structure Performance	. 5-19
Table 5.12: 407 Transitway - Watercourse Crossings (Culverts/Bridges) Duffins Creek	
Watershed - Design Parameters And Structure Performance	
Table 5.13: Metrolinx Standards for Illumination	
Table 5.14: MTO Standards for illumination of Parking Lots	
Table 6.1: Assessment Criteria	
Table 6.2: Interactions Matrix	
Table 6.3: Summary of Vegetation Removals Within the Transitway Runningway	
Table 6.4: Summary of Vegetation Removals within the Transitway Stations	
Table 6.5: Footprint Impacts: Potential Impacts, Mitigation and Monitoring for Natural	
Environment	
Table 6.6: Footprint Impacts: Potential Impacts, Mitigation and Monitoring for Socio-Economic	
and Cultural Environment	
Table 6.7: Footprint Impacts: Potential Impacts, Mitigation and Monitoring for Transportation	. 6-31
Table 6.8: Summary of Proposed in Stream Work, Mitigation Measures and Net	
Environmental Effects	. 6-34
Table 6.9: Construction Impacts: Potential Impacts, Mitigation and Monitoring for Natural	
Environment	. 6-36
Table 6.10: Construction Impacts: Potential Impacts, Mitigation and Monitoring for Socio-	
Economic Environment	
Table 6.11: Construction Impacts: Transportation System Effects and Mitigation	. 6-4/
Table 6.12: Operations and Maintenance Impacts: Potential Impacts, Mitigation	0.50
and Monitoring for Natural Environment	. 6-50

Table 6.13: Operations and Maintenance Impacts: Potential Impacts, Mitigation	
and Monitoring for Socio-Economic and Cultural Environment	6-53
Table 6.14: Operations and Maintenance Impacts: Transportation System Effects	
and Mitigation	6-54
Table 8.1: Summary Of Contacts With External Agencies/Stakeholders	
Table 8.2: Comment And Response Log - Draft Environmental Project Report	8-18
Table 8.3: Summary of Contacts with Aboriginal Communities During Preliminary Design	8-148
Table 8.4: Comments Received At Pic #1 And Study Team Responses	8-152
Table 8.5: Comments Received At Pic #2 And Study Team Responses	8-160
Table 9.1: Commitments Summary	9-2





### LIST OF ACRONYMS

AGT	Automated Guideway Transit
ANSI	Areas of Natural and Scientific Interest
AODA	Accessibility for Ontarians with Disabilities Act
BHR	Built Heritage Resources
ВМР	Best Management Practice
BRT	Bus Rapid Transit
BSC	Bird Studies Canada
CEAA	Canadian Environmental Assessment Act
CHL	Cultural Heritage Landscapes
CHVI	Cultural Heritage Value or Interest
CN	Canadian National
COSSARO	Committee on the Status of Species at Risk in Ontario
COSEWIC	Committee on the Status of Endangered Wildlife in Canada
СР	Canadian Pacific
CPDP	Central Pickering Development Plan
CPTED	Crime Prevention through Environmental Design
CSP	Controlled Surface Pickup
CWS	Canada Wide Standard
dB	Decibel
dB(A)	A-Weighted Decibel
DFO	Fisheries and Oceans Canada
DMU	Diesel Multiple Units

DRT	Durham Region Transit
DTY	Durham-York-Toronto Area Transportation Study
EA	Environmental Assessment
ELC	Ecological Land Classification
EMS	Emergency Medical Services
EPR	Environmental Project Report
ERS	Emergency Response Services
ESA	Endangered Species Act
ETR	Express Toll Route
FPS	Functional Performance Specifications
FWCA	Fish and Wildlife Conservation Act
GGH	Greater Golden Horseshoe
GGHM	Greater Golden Horseshoe Model
Growth Plan	Growth Plan for the Greater Golden Horseshoe (2006)
GTA	Greater Toronto Area
GTAA	Greater Toronto Airports Authority
GTHA	Greater Toronto and Hamilton Area
HIA	Heritage Impact Assessment
HOV	High Occupancy Vehicle
10	Infrastructure Ontario
ITS	Intelligent Transportation Systems
LOS	Level of Service
LRT	Light-Rail Transit
-	l .





LRV	Light-Rail Vehicle
LTTS	Long Term Transit Strategy
MBCA	Migratory Birds Convention Act
MESPA	Master Environmental Servicing Plan Amendment
MNRF	Ministry of Natural Resources and Forestry
MOI	Ministry of Economic Development, Employment & Infrastructure
MOECC	Ministry of Environment & Climate Change
MOW	Maintenance of Way
MTO	Ministry of Transportation
NFSSR	Neighbourhood Functional Stormwater and Servicing Reports
NHIC	Natural Heritage Information Centre
NSSP	Non-Standard Special Provisions
OMB	Ontario Municipal Board
OR	Openness Ratio
ORC	Ontario Realty Corporation
PBWP	Parkway Belt West Plan
PIC	Public Information Centre
PPS	Provincial Policy Statement
PPUDO	Passenger Pick-up and Drop-off
PSW	Provincially Significant Wetlands
QEW	Queen Elizabeth Highway
RAP	Reclaimed Asphalt Pavement
RM	Risk Management

ROW	Right-of-Way
RTP	Regional Transportation Plan
SARA	Species at Risk Act
SRT	Scarborough Rapid Transit
SWM	Stormwater Management
SWMF	Stormwater Management Facility
SWMP	Stormwater Management Practices
TAC	Transportation Association of Canada
TDM	Transportation Demand Management
TMP	Transportation Master Plan
TOD	Transit-Oriented-Development
TPAP	Transit Project Assessment Process
TRCA	Toronto and Region Conservation Authority
TRG	Technical Resource Group
TSP	Total Suspended Particulates
TTC	Toronto Transit Commission
TTS	Transportation Tomorrow Survey
TYSSE	Toronto-York Spadina Subway Extension
UGC	Urban Growth Centre
YRT	York Region Transit
YRTP	York Rapid Transit Plan
YRRTC	York Region Rapid Transit Corporation





## GLOSSARY

	GLOSSARY
Addendum	Significant revision to the Environmental Project Report.
Alignment	The arrangement of the continuous transportation facility on the right-of-way, encompassing horizontal plan and vertical profile location, as well as all connections to the existing and surrounding transportation network and surrounding land uses.
Arterial	Major regional roadway, usually with a surface location and alignment.
Automated Guideway Transit (AGT)	A driverless and grade separated transit system, such as airport people movers.
Bus Rapid Transit (BRT)	A transit system operated with steered buses on dedicated lanes of major streets and making stops only at stations along the route and using proof of payment fare collection systems.
Commuter Rail	Transit service operated on the tracks of the intercity railroad system, usually from outlying communities to a central urban core. This is GO Transit Rail in the GTA and beyond. Lines can be owned by private freight railroads or by rail transit agencies, with agreements in place to allow access and operations for either passenger or freight trains.
Conceptual Design	Early arrangement of the transit facility components on the right-of-way, with the goal of showing whether and how the proposed facility will fit into the area required and what advantages and/or challenges it will encounter.
Construction Impacts	Effects that occur during the process of constructing a transportation facility, usually limited in duration (compare with operation and maintenance impacts and footprint impacts).
Crime Prevention Through Environmental Design (CPTED)	A multi-disciplinary approach to deterring criminal behaviour through environmental design. CPTED strategies rely upon the ability to influence offender decisions that precede criminal acts. As of 2004, most implementations of CPTED occur solely within the built environment. Incorporating CPTED techniques should be considered in the design of pedestrian corridors and all transit facilities to optimize natural surveillance.
Cross-Section	A drawing that shows the vertical dimensions and placement of facilities at a specific location; a "slice" through the facility.

Cut/Fill Sections	Places where existing land will need to be moved away (cut) or added to (fill) to allow a transportation alignment to be constructed according to accepted standards for uphill or downhill grades.
Decibel (dB)	A unit of measurement of loudness as detected by the human ear and measured at designated receptors.
A-Weighted Decibel (dBA)	A-weighted decibel is an expression of the relative loudness of sounds in air as perceived by the human ear. The decibel values of sounds at low frequencies are reduced compared with unweighted decibels, in which no correction is made for audio frequency.
Detail Design	The exact engineering calculations and application of standards to locate and design all aspects of the arrangement of transit facility components, including the solution to technical conflicts and application of all standards to the design of the facility.
Embankments	Built-up earth support structures, on which the transportation runningway (roadway or rail track) is constructed, usually in fill situations.
Environmental Assessment Act	The provincial law that governs the process of environmental clearance of transportation plans and projects.
Floodplain	The width of a watercourse and its banks and other areas, the location and measurement of which is determined by the theoretical or practical extent of probable flooding at a set intensity ("the hundred year flood, the five year flood").
Footprint Impacts	Environmental effects consisting of the permanent displacement or loss of existing environmental features resulting from the placement of a transportation facility (compare with construction impacts or operations and maintenance impacts).
Fully Grade Separated	A characteristic of transit facilities that eliminates crossings and intersections along a transportation alignment. Examples include subway lines, elevated sections of guideways, and of course, expressways and freeways.
Greenfield	An undeveloped area of land.





Headway	Separation between transit vehicles on a schedule, usually measured in minutes (or seconds). The inverse of frequency, measured in number of vehicles per hour. Headway of five minutes is equivalent to a frequency of 12 trips per hour.
Heavy Rail Transit	Grade separated transit, usually powered by electricity delivered by a third rail. Subways are the main example.
High Occupancy Vehicle (HOV)	An automobile, van, or bus, usually with at least one more passenger beyond the driver (2+) or even more (3+).
High Occupancy Vehicle Lanes	Specially built or marked highway lanes for the permanent or time-related use of HOVs only.
Intermodal Facility	A station or stop where differing types (or modes) of transportation meet and exchange passengers, such as bus/rail stations, park and ride locations, transitway and city bus connections.
Level of Service (LOS)	A measure of the performance of highway sections or of intersections, based on their technical capacity and on the level of congestion.
Light Rail Transit (LRT)	Rail transit system operating on dedicated tracks or guideways, usually on the street surface but also underground or overhead and making stops only at more widely spaced stations with platforms and other equipment. Electric power is provided by overhead wires.
Maintenance of Way (MOW)	Repair and maintenance of runningways, (tracks, lanes, fixed facilities) and equipment not associated with transit vehicles.
Mobility Hub	A term used in Greater Toronto Area (GTA) transportation planning to designate intermodal facilities and transit oriented development.
NASHYD	Hydrologic Modelling Software command.
Operations and Maintenance Facility (O&M Facility)	A yard and/or shop where transit vehicles and other equipment are stored, fuelled, washed and repaired.
Operations and Maintenance Impacts	Effects that arise from the normal operation of a transportation facility for the life of the facility (Compare with footprint impacts and construction impacts).
Plan View	Drawing that shows the horizontal dimensions and placement of facilities at a specific location; the "map" of the facility (contrast with profile).

Platform	The horizontal area from which passengers' board or alight transit vehicles at stops or stations.
Public Information Centre (PIC)	Open house or in person consultation opportunity for input by the public on matters concerning the project.
Profile	Drawing that shows the vertical dimensions and placement of facilities at a specific location; the "relief" of the facility (contrast with plan view).
Proof of Payment (POP)	Self-administered fare system, where patrons need only to show valid tickets to official inspectors, when requested.
Provincial Policy Statement (PPS)	Document that enumerates the official goals of the Province of Ontario regarding goals of planning. The planning tools for implementing the PPS are contained in the document, "Places to Grow," and in local Official Plans, which must be in substantial correlation with the provincial programs.
Right-of-Way (ROW)	The property on which a transportation facility is built and operated; the legal boundaries of the transportation facility.
Risk-Based Cost and Schedule Analysis	Workshops to identify significant opportunities and risks to the overall project cost and project schedule, and also serve to rank the most critical risks and means of avoiding them and to exploit critical opportunities.
Route	The general direction of a transportation facility, showing connections at ends and intermediate points.
Runningway	Similar to transitway, the surface lanes or tracks on which transit vehicles operate.
Staging	The sequence of steps in construction of a transportation facility, concerning time scheduling as well as processes, such as traffic lane closures.
Station	Facility on the transitway where vehicles stop to board and discharge passengers. Consists of platform(s), access paths and equipment for use by passengers.
Station Node	The collection of transportation and land use facilities that together support each other.





STNDHYDs	Hydrologic Modelling software command.
Transit Oriented Development (TOD)	Land uses (buildings, businesses, residences, etc., that are enabled by and support transportation systems at station nodes.
Transit Project Assessment Process (TPAP)	The streamlined environmental assessment process used by Ontario Ministry of Environment for transit projects. Corresponds to Ontario Regulation 231/08, Transit Projects And Greater Toronto Transportation Authority Undertakings.
Transit Projects Regulation	Ontario Regulation 231/08.
Transitway	Facility, either roadway lanes or rail tracks, reserved for the use of transit vehicles only.
Urban Growth Centre	Localities designated by Ontario.
Value Engineering	Review of preferred alignment and facilities with a view to reducing capital costs of a facility, measuring savings and balancing capital and operating costs over the life cycles of the proposed alternative solutions.
Water Table	The top of the zone of permanent soil saturation. The water table may rise or fall seasonally, or it may be drawn down by removal of water.
Watershed	The area and complete width of a drainage basin, usually named after the watercourse that flows through it.





REFERENCES	Metropolitan Toronto and Region Transportation Study, 1967
Environmental Assessment Act of Ontario, 2008	Highway 407 Overview Study, 1989
Planning Act, 1990	Protection for Transit in the Highway 407 Parkway Belt West Corridor, 1989
Public Transportation and Highway Improvement Act, 2008	Need and Justification Study for the Protection of Highway 407/Parkway Belt West Transit Corridor, 1992
Freedom of Information Act, 1990	Highway 7/407 Transit Planning Strategy Study: A Comprehensive Strategy for Transit in the 7/407 Corridor
Environmental Protection Act, 1990	1996
Canadian Environmental Assessment Act, 2012	Highway 407/Transitway Markham Road Easterly to Highway 7 East of Brock Road: Environmenta Assessment Report, 1997
107 Transitway Design Standards	Highway 407 Transitway System Plan and Site Plan Study, 1997
Geometric Design Standards for Ontario Highways (1994).	Transitway Corridor Protection Study, Highway 407/Parkway Belt West Corridor from Highway 403 to
Transit Projects and Greater Toronto Transportation Authority Undertakings Regulation, Ontario Regulation 231/08, June 2008	Markham Road, 1998
.51/06, Julie 2006	Transit Corridor Priorities and Phasing Technical Report: Making Progress in Removing Roadblocks, 2001
Public Transportation and Highway Improvement Act, 2008	Inter-Regional Bus Rapid Transit Servcie Study, 2002
Ontario's Provincial Policy Statement (2014)	Highway 7 Corridor & Vaughan North-South Link: Public Transit Improvements Environmental Assessment
Places to Grow: Growth Plan for the Greater Golden Horseshoe, 2006	2005
Move Ontario 2020	407 West Transitway Corridor Protection Study, 2005
The Big Move: Transforming Transportation in the Greater Toronto and Hamilton Area, 2008	Highway 407 Transitway Implementation Study, 2006
York Region Official Plan (December 2009)	407 Transitway from East of Highway 400 to Kennedy Road – Transit Project Assessment Process – Environmental Project Report, 2011
ork Region Transportation Master Plan (November 2009)	York Region Rapid Transit Plan, 2002
City of Toronto Official Plan, 2006	
City of Markham Official Plan, 2006	GO Transit Year 2020 Plan, 1998
Durham Region Official Plan, 2013	York Region Transit Five-Year Service Plan, 2001-2016
	Durham Region Five-Year Transit Service Plan, 2013
Durham Region Transportation Master Plan, 2005	Central Pickering Development Plan, 2006
Durham Region Arterial Road Corridor Design Guidelines, 2007	Durham-York-Toronto Area Transportation Study, 2009
Ourham Region Transit Long Term Strategy, 2010	
City of Pickering Official Plan, 2010	Metrolinx Five-Year Strategy (2015-2020)
	High Occupancy Vohicle Land Policies, Government of Ontario



High-Occupancy Vehicle Lane Policies, Government of Ontario



Greenbelt Act, 2005
2006 Transportation for Tomorrow Survey
The Draft Rouge River Fisheries Management Plan (MNR and TRCA 2010)
Aquatic Species at Risk Mapping (DFO 2014)
Ecological Land Classification for Southern Ontario: First Approximation and Its Application (Lee et al. 1998)
Ontario Endangered Species Act, 2007
Species at Risk Act (Federal), 2002
Migratory Birds Convention Act (Federal), 1994
Fish and Wildlife Conservation Act (Ontario), 1997
Greenbelt Plan (2005)
Rouge National Urban Park Act, 2015
Parkway Belt West Plan, 1978
Ontario Planning and Development Act, 1994
Fish and Fish Habitat – Impact Assessment Report (LGL 2015)
Terrestrial Ecosystems Report (LGL 2015)
Canadian Register of Historic Places (Federal), 2001
Ontario Heritage Properties Database (2008)
Ontario Heritage Act, 2005
Standards and Guidelines for Consultant Archaeologists, 2011
City of Markham Transportation Master Plan, 2002
Highway 407 East, Brock Road Interchange Design and Construction (2013) – "Interchange Design"
Seaton Transportation Operations Review (2013) - "Seaton Study"
Brock Road Commuter Parking Lot Detail Design (2014) - "CPL Design"
407 Transitway Design Criteria Manual
Species at Risk in Ontario List, 2015

Draft Guidance for Development Ac	tivities in Redside Dace Protected Habitat (MNR 2011)
Fisheries Act, 1985	
MTO Fish Guide, 2009	
TRCA Forest Edge Management Plan	n Guidelines (2004)
Seaton Community Neighbourhood	Plans
Funeral, Burial and Cremation Servi	ces Act, 2002
Environmental Guide for Erosion a 2007)	nd Sediment Control During Construction of Highway Projects (MTO
MTO Best Management Practices N	lanual for Fisheries Clear Span Bridges (MTO 2015).
Guidelines for Use at Contaminated	Sites in Ontario (1997)
MTO Construction Administration a	nd Inspection Task Manual (MTO 2007)
Erosion and Sediment Control Guide	eline for Urban Construction (GGHA Conservation Authorities 2006)
Ontario Regulation 231/08, Transit	Projects and Metrolinx Undertakings
Ontario Water Resources Act, 2011	
Navigation Protection Act, 1985	
Rouge National Urban Park Draft M	anagement Plan (Parks Canada), 2014

